UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/590,928	10/20/2006	Tomoya Sugita	28951.1185	4212
53067 STEPTOE & JO	7590 09/01/201 DHNSON LLP		EXAMINER	
1330 CONNECTICUT AVE., NW WASHINGTON, DC 20036			BROOKS, JERRY L.	
WASHINGTO	N, DC 20050		ART UNIT PAPER NUMBER	
			2878	
			MAIL DATE	DELIVERY MODE
			09/01/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Summers	10/590,928	SUGITA ET AL.				
Office Action Summary	Examiner	Art Unit				
	JERRY BROOKS	2878				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim 11 apply and will expire SIX (6) MONTHS from 12 cause the application to become ABANDONE	I. ely filed the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>28 Ju</u>	lv 2010.					
• • • • • • • • • • • • • • • • • • • •	action is non-final.					
3) Since this application is in condition for allowan		secution as to the merits is				
closed in accordance with the practice under E						
		0.0.2.210.				
Disposition of Claims						
4)⊠ Claim(s) <u>1,4 and 6-18</u> is/are pending in the app	lication.					
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,4 and 6-18</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examine	•					
10)⊠ The drawing(s) filed on <u>08/282006</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
	·					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Ex			•			
Priority under 35 U.S.C. § 119		, (61.61. 61. 161.11. 1. 6. 162.				
		(1)				
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (t).				
a)⊠ All b)□ Some * c)□ None of:						
1. Certified copies of the priority documents						
	2. Certified copies of the priority documents have been received in Application No					
_ ·	3. Copies of the certified copies of the priority documents have been received in this National Stage					
	application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of	of the certified copies not receive	d.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal P					
Paper No(s)/Mail Date	6) Other:					

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 07/28/2010 has been entered.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 6 and 9-11 are rejected under 35 U.S.C. 102(b) as being anticipated by Uchiyama (5,851,060).

With respect to claim 1, Uchiyama discloses a two-dimensional image forming apparatus comprising (fig.3): a light source (2); an image former (8a and 8b, SLMs, see col. 4, line 55) for forming a two-dimensional image by the light emitted from the light source (2); an enlarging projector (9, projection lens) for enlarging and projecting the two-dimensional image formed by an

image former; a switching part (4) for switching and selecting a path for light emitted from the light source (2), between a first path (A) including both image former and the enlarging projector and a second light path (B) which does not include both image former and the enlarging projector (path B only includes the enlarging projector).

With respect to claim 6, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 1 wherein the switching part (4) includes: a mirror (4); and a moving mechanism (col. 5, lines 6-20) for moving the mirror between a position (see fig.3 wherein number 1 is circled) at which the mirror (4) reflects light emitted from the light source (1), which position is on a light path of emitted from the light source (see fig.1 and fig.4 wherein number 1 is circled), and a position (see fig.3 wherein number 2 is circled) which is not located on the light path of light emitted from the light source (see fig.1 and fig.4 wherein number 2 is circled).

With respect to claim 9, Uchiyama discloses a two-dimensional image forming apparatus comprising (fig.3): a light source (1); an image former (SLM, 8a and 8b) for forming a two-dimensional image by the light emitted from the light source (1); an enlarging projector (9) for enlarging and projecting a two-dimensional image formed by the former (SLM, 8a and 8b); a branching part (mirror 4 or mirror 5) for branching a path for the light emitted from the light source (1) so that a part of the emitted light propagates on a first light path (A) which includes both the image former and the enlarging projector, and the other part of the emitted light propagates on

Page 4

a second light (B) path which does not include both image former (path B only includes the enlarging projector) and the enlarging projector.

With respect to claim 10, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 9, wherein the branching part (formed by mirror 4) is between the light source (1) and the image former (8a and 8b).

With respect to claim 11, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 9, wherein the branching part (formed by mirror 5) is between the image former (fig.3, 8a and 8b) and the enlarging projector (fig.3, 9).

Claims 1, 7 and 8, 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Kwon (5,772,301).

With respect to claim 1, Kwon discloses a two-dimensional image forming apparatus comprising (fig. 8: fifth embodiment): a light source (1); an image former (10) for forming a two-dimensional image by the light emitted from the light source (1 prime); an enlarging projector (11 prime) for enlarging and projecting the two-dimensional image formed by the former (10); a switching part (12 or 12 prime, mirror is movable; see col. 5, lines 47-60) for switching and selecting a path (see the path on which 10 and 6 prime lie) for the light emitted from the light source (1), between a first light path (the path on which 10 and 6 prime lie) including both the image former (10) and the enlarging projector (12, projection lens can be moved to the first path where it become

Art Unit: 2878

12 prime) and a second light path (the path on which 8 and 6 lie) which does not include both the image former and the enlarging projector (see fig.8, as the mirror (12) is moved to the first path, the second path will not include the image former 10 and enlarging projector 11 prime).

With respect to claim 7, Kwon discloses the two-dimensional image forming apparatus as defined in Claim 1(fifth embodiment; fig.8), wherein the second light path (the second path on which 8 and 6 lie as discussed above) includes an enlarging optical system (projection lens 11) or a dispersion optical system, and the emitted light is irradiated toward the outside of the apparatus (see 14, projection screen) via the enlarging optical system (11) or the dispersion optical system when the path of light emitted from the light source is switched (switched performed by moving 12 prime to the 12 position, see fig. 8) so that the emitted light propagates on the second light path.

With respect to claim 8, Kwon discloses the two-dimensional image forming apparatus as defined in Claim 1(fifth embodiment; fig.8), wherein the second light path (the second path on which 8 and 6 lie as discussed above) includes a liquid crystal panel (10), and the emitted light (from light source 1) is employed as back light of the liquid crystal panel (10) when the light path of light emitted from the light source is switched (the light path is switched as 12 prime moves to 12) so that the emitted light (light from light source1) propagates on the second light path.

With respect to claim 18, Kwon discloses a two-dimensional image forming apparatus comprising (fig. 4): a light source (1 prime); an image former (10) for forming

Page 6

a two-dimensional image by the light emitted from the light source (1 prime); an enlarging projector (11) for enlarging and projecting the two- dimensional image formed by the image former (10); a switching part (11, the projection lens is movable; see col. 4, lines 15-17) for switching and selecting a path (see the path on which 10 and 6 prime lie) for the light emitted from the light source, between a first path (the path on which 10 and 6 prime lie) including both the image former (10) and the enlarging projector (11, projection lens is being moved to the first path) and a second light path (the path on which 8 and 6 lie) which does not include at least one of the image former and the enlarging projector (see fig.4, as the projection lens 11 is moved to the first path, the second path will not include the enlarging projector, projection lens 11), wherein the light switching part is a moving mechanism for moving the enlarging projector between a position located on a light path of light emitted from the light source (1 prime), and a position not located on that light path (see the light switching part mechanism implicitly disclosed by fig.4).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kwon (5,772,301) in view Tatsuo (JP 08-62721 A).

Art Unit: 2878

With respect to claim 4, Kwon discloses the two-dimensional image forming apparatus as defined in claim 2, but does not disclose the switching part is a rotation mechanism which rotates the light source so that the direction of light emitted from the light source is changed.

Tatsuo discloses a two-dimensional image forming apparatus comprising (see description of notations, fig.6 and fig.2): a light source (fig. 2, 18 and 19); a image former (14) for forming a two-dimensional image by the light emitted from the light source; an enlarging and projection (fig.6, 7b) part for enlarging and projecting the two-dimensional image formed by the two-dimensional image former (fig.2, 14); and teaches where in a path switching part (9) is a rotation mechanism—which rotates the light source (the rotation of element 3, inherently rotates the light source) so that the direction of light emitted from the light source is changed (in fig. 6 the light path is changed from 6a to 6b).

It would been obvious at the time of invention to one of ordinary skill in the art to modify the light source of Kwon with the teaching of Tatsuo to rotate the light source (fig. 8,1) to reduce material cost by removing the need for mirror (2) in fig.8 (see col.5, lines 40-46 where mirror 2 can be taken aside).

Claims 12 and 15 are rejected under 35 U.S.C. 103(a) as being obvious over Uchiyama (5,851,060) in view of Nagasawa (7,133,078).

With respect to claim 12, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 10, but does not disclose wherein the branching part is a half mirror.

Nagasawa discloses a two-dimensional image forming apparatus wherein the branching part (5) is a half mirror (col.3, lines 30-35).

It would obvious at the time of invention to one of ordinary skill in the art to use Nagasawa's half mirror in stead of Uchiyama's rotating mirror (5) to reduce the material of the branching part.

With respect to claim 15, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 11, but does not disclose wherein the branching part is a half mirror.

Nagasawa discloses a two-dimensional image forming apparatus wherein the light path branching part (5) is a half mirror (col.3, lines 30-35).

It would obvious at the time of invention to one of ordinary skill in the art to use Nagasawa's half mirror in stead of Uchiyama's rotating mirror (5) to reduce the material of the branching part.

Claims 13, 14, 16, and 17 is rejected under 35 U.S.C. 103(a) as being obvious over Uchiyama (5,851,060) in view of Weber (6,364,487).

LED.

Weber discloses a two dimension image forming apparatus (co1.1, lines 20-26) wherein the light source is a Led (lines 23-24).

Weber further discloses that an LED is typically a "spectrally narrow band light source reduces the need for color filters (co1.1, lines 23-24)" which would reduce the size or cost of the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to modify the device of Uchiyama to use a LED as a light source as taught by Weber to reduce the cost or size of Uchiyama's device.

With respect to 14, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 1, but does not disclose wherein the light, source is a laser.

Weber discloses a two dimension image forming apparatus (co1.1, lines 20-26) wherein the light source is a Laser (co1.1, lines 23-24). Weber further discloses that a laser is typically a "spectrally narrow band light source reduces the need for color filters (co1.1, lines 23-24)" which would reduce the size or cost of the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to modify the device of Uchiyama to use a laser as a light source as taught by Weber to reduce the cost or size of Uchiyama's device.

Application/Control Number: 10/590,928 Page 10

Art Unit: 2878

With respect to 16, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 9, but does not disclose wherein the light source is an LED.

Weber discloses a two dimension image forming apparatus (co1.1, lines 20-26) wherein the light source is a Led (lines 23-24). Weber further discloses that an LED is typically a "spectrally narrow band light source reduces the need for color filters (co1.1, lines 23-24)" which would reduce the size or cost of the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to modify the device of Uchiyama to use a LED as a light source as taught by Weber to reduce the cost or size of Uchiyama's device

With respect to 17, Uchiyama discloses the two-dimensional image forming apparatus as defined in Claim 9, but does not disclose wherein the light source is a laser.

Weber discloses a two dimension image forming apparatus (co1.1, lines 20-26) wherein the light source is a Laser (lines 23-24). Weber further discloses that a laser is typically a "spectrally narrow band light source reduces the need for color filters (co1.1, lines 23-24)" which would reduce the size or cost of the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to modify the device of Uchiyama to use a laser as a light source as taught by Weber to reduce the cost or size of Uchiyama's device.

Response to Arguments

Application/Control Number: 10/590,928 Page 11

Art Unit: 2878

With respect to claims 1, 4 and 18,applicant argues that Uchiyama (5,851,060) and Kwon (5,772,301) fail to disclose the limitation "a second light path which does not include both a two dimensional image former and an enlargering projector part".

Examiner respectfully disagrees. In both Uchiyama and Kwon a second light path is disclosed which does not include both elements, the two dimensional image former and the enlarging projector part, since it includes only one element as discussed in above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JERRY BROOKS whose telephone number is (571)270-5711. The examiner can normally be reached on Monday-Friday, 9 a.m.- 5 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/590,928 Page 12

Art Unit: 2878

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JERRY BROOKS/ Examiner, Art Unit 2878 /Georgia Y Epps/ Supervisory Patent Examiner, Art Unit 2878